



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor



NW South Boundary d36

 West On a Random line On the South Boundary of sec. 36  
T. 5 N. R. 2 W.

2000 To the Bank of White River

4000 Set a trap for sec post.

8000 " " " post for the cor of sec 35 &amp; 36.

 Lands rich and rolling Timber Birch, Sugar,  
Poplar, &c.

 West On a Random line On the South Boundary of sec 35  
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

8000 Set a trap post for the cor of sec 34 &amp; 35.

Lands the same.

 West On a Random line On the South Boundary of sec 34  
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

6500 To the Brook 20 traps, good timber.

8000 Set a " post for the cor of sec 33 &amp; 34

Lands brushy Timber same.

 West On a Random line On the South Boundary of sec 33  
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

8000 Set a " post for the cor of sec 32 &amp; 33.

Lands &amp; Timber same as last note.

 West On a Random line On the South Boundary of sec 32  
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

8000 Set a trap post for the cor of sec 31 &amp; 32

Soil thin very bushy Timber Oak, &amp; Hickory

West On a Random line On the South Boundary of sec 31



T. N. 5 N. R. 1. 2 W 2<sup>nd</sup> 3<sup>rd</sup> 4<sup>th</sup> Ind.

40.00 Set a temporary 1/4 sec post.  
 75.72 Set the temporary 1/4 sec post at the corner of sec. 31  
 Sec. 16. 31 & 36. T. 45 N. R. 2 W  
 Sugar. 12 in dia. bears. 117 E. 9 N.

East On the line On the South Boundary of sec. 31  
 T. 5 N. R. 2 W.

35.72 Set the temporary 1/4 sec post at the corner of sec. 31  
 from which, Sugar. 10 in dia. bears. 142 E. 34 N. 16  
 and a 10 in dia. bears. 180 N. 16 E.

75.72 Set the temporary post on the line for the corner of sec. 31 & 36  
 from which, Sugar. 6 in dia. bears. 111 N. 18 W. 16  
 and a 12 in dia. bears. 180 N. 16 E.

East On the line On the South Boundary of sec. 33  
 T. 5 N. R. 2 W.

40.00 Set the temporary 1/4 sec post on the line from which,  
 Sugar. 12 in dia. bears. 160 E. 14 N. 16  
 and a 12 in dia. bears. 110 E. 23 N.

80.00 Set the temporary post on the line for the corner of sec. 33 & 36  
 from which, Sugar. 12 in dia. bears. 135 E. 29 N. 16  
 and a 12 in dia. bears. 135 N. 16 E.

East On the line On the South Boundary of sec. 33  
 T. 5 N. R. 2 W.

40.00 A 12 in dia. stands on the line for the  
 corner of 1/4 sec.

80.00 Set the temporary post on the line for the corner of sec. 33 & 36  
 from which, Sugar. 12 in dia. bears. 144 E. 17 N. 16  
 and a Poplar 5 in dia. bears. 170 N. 9 E.

East On the line On the South Boundary of sec. 34  
 T. 5 N. R. 2 W.

T. N. 5 N. R. 1. 2 W 2<sup>nd</sup> 3<sup>rd</sup> 4<sup>th</sup> Ind.

40.00 Set the temporary 1/4 sec post at the corner of sec. 31  
 from which, Sugar. 8 in dia. bears. 166 E. 12 N. 16  
 and a 10 in dia. bears. 117 E. 9 N.

80.00 Set the temporary 1/4 sec post on the line for the corner of  
 sec. 34 & 35 from which,  
 Sugar. 8 in dia. bears. 133 N. 5 E. 16  
 and a 10 in dia. bears. 124 E. 22 N.

East On the line On the South Boundary of sec. 35  
 T. 5 N. R. 2 W.

40.00 Set the temporary 1/4 sec post on the line from which,  
 Sugar. 8 in dia. bears. 154 E. 14 N. 16  
 and a 10 in dia. bears. 160 E. 14 N.

80.00 Set the temporary post on the line for the corner of sec. 35 & 36  
 from which, Sugar. 18 in dia. bears. 157 N. 12 E. 16  
 and a 10 in dia. bears. 118 E. 20 N.

East On the line On the South Boundary of sec. 36  
 T. 5 N. R. 2 W.

40.00 Set the temporary 1/4 sec post at the corner of sec. 36  
 from which, Sugar. 10 in dia. bears. 188 E. 35 N. 16  
 and a 12 in dia. bears. 156 N. 17 E.

80.00 Set the post on sec. 16. 31 & 36. T. 45 N. R. 1 W 2 W

## East Boundary.

G 11

North On the East Boundary of sec. 36. T. 5 N. R. 2 W.

10.50 To a Poplar 30 in dia. in the line.

40.00 Set a 1/4 sec post from which,  
 Sugar. 12 in dia. bears. 109 N. 24 E. 16  
 and a 10 in dia. bears. 141 N. 12 E.

80.00 Set a post for the corner of sec. 25 & 36 from which,  
 Sugar. 12 in dia. bears. 12 E. 24 N. 16  
 and a 18 in dia. bears. 172 N. 21 E.



## T. N. 5 N. R. N. 2 W. D. 2nd. Mm. Ind.

Land with under rolling Timber Oak, Sugar,  
Ash, Poplar &c. N. 9 Spruce.

North On the East Boundary of sw. 25 T. 5 N. R. 2 W  
40.00 Set a 1/2 sec post from which  
Beet 20 in dia. beam S 34 E. 29 1/2 the dist; 1/2  
Loc. 7 " " " N 54 W. 29 " "  
54.50 To a Spring Run. 4 links ma. Corner C  
56.75 To a Brook 12 links ma. Co. C  
80.00 Set apart for the cor of sw 24 & 25 from which  
Beet 12 in dia. beam S 44 E. 26 1/2 the dist; 1/2  
Loc. 10 " " " S 47 W. 17 " "  
Land to the same.

North On the East Boundary of sw. 25 T. 5 N. R. 2 W  
22.75 To a Oak 30 in dia. in the line  
40.00 Set a 1/2 sec post from which  
Hick 10 in dia. beam S 46 E. 37 1/2 the dist; 1/2  
Beet 12 " " " N 56 W. 14 " "  
46.75 To a Hick 13 in dia. in the line  
80.00 Set apart for the cor of sw 13 & 24 from which  
Oak 10 in dia. beam S 6 E. 33 1/2 the dist; 1/2  
Loc. 12 " " " S 54 E. 15 " "  
Land to the same.

North On the East Boundary of sw. 13 T. 5 N. R. 2 W  
40.00 Set a 1/2 sec post from which  
Dogwood 6 in dia. beam S 17 W. 23 1/2 the dist; 1/2  
Beet 8 " " " N 66 E. 8 " "  
80.00 Set apart for the cor of sw 12 & 13 from which  
Hick 5 in dia. beam S 6 W. 22 1/2 the dist; 1/2  
Dogwood 7 " " " East 44 " "  
Land to the same.

Comp.

## T. N. 5 N. R. N. 2 W. D. 2nd. Mm. Ind.

North On the East Boundary of sw. 13 T. 5 N. R. 2 W  
40.00 Set a 1/2 sec post from which  
Oak 12 in dia. beam S 6 W. 14 1/2 the dist; 1/2  
Dogwood 6 " " " N 85 W. 11 " "  
61.60 To a Oak 20 in dia. in the line  
80.00 Set apart for the cor of sw 14 & 15 from which  
Oak 8 in dia. beam S 7 W. 29 1/2 the dist; 1/2  
Dogwood 6 " " " N 39 W. 20 " "

North On the East Boundary of sw. 1 T. 5 N. R. 2 W  
40.00 Set a 1/2 sec post from which  
Oak 6 in dia. beam S 71 W. 10 1/2 the dist; 1/2  
Oak 15 " " " N 40 W. 13 " "  
68.75 To a Poplar 20 in dia. in the line  
80.00 Set apart for the cor of sw 1 & 6 S 136 T. 5 & 6 A.  
N. 1 W. 11 from which  
Hick 10 in dia. beam S 74 E. 11 1/2 the dist; 1/2  
Oak 8 " " " S 66 W. 15 " "  
Land with rolling Timber Oak, Hick, Poplar,

## North Boundary.

East On a Random line On the South Boundary of sw. 31  
T. 6 N. R. 2 W.  
22.55 To a Brook 100 links ma. Corner C  
40.00 Set a temporary 1/2 sec post  
62.49 To the above named Brook 100 links ma. Co. A.  
80.00 Set a temporary post for the cor. of sw 31 & 32.  
Land with rolling Timber Oak, Poplar, Walnut  
N. 9 Spruce &c.

East On a Random line On the South Boundary of sw. 32  
T. 6 N. R. 2 W.  
35.22 To a Brook 100 links ma. Corner C  
40.00 Set a temporary 1/2 sec post.



T. A. S. A. R. N. 277 2<sup>nd</sup> M. S. A. C.

8000	Set a trap for the cu. of sw. 32 133 Sands the same.
East	On a random line On the South Boundary of sw. 33. T. C. A. R. 277.
4000	Set a trap for sw post
8000	Set a trap for the cu. of sw. 33 134 Sands very hilly & hilly; thin soil.
East	On a random line On the South Boundary of sw. 34. T. C. A. R. 277.
4000	Set a trap for sw post.
8000	Set a trap for the cu. of sw. 34 135 Sands the same.
East	On a random line On the South Boundary of sw. 35. T. C. A. R. 277.
4000	Set a trap for sw post
8000	Set a trap for the cu. of sw. 35 136. Sands very hilly & hilly.
East	On a random line On the South Boundary of sw. 36. T. C. A. R. 277.
4000	Set a trap for sw post
7775	Intersect the Range line 12 miles 8 9 miles North of sw. cor. Sand not so hilly. Timber Oak Hickory
West	On the line On the South Boundary of sw. 36. T. C. A. R. 277.
4000	Set the trap for sw post at the corner on the line from which, Hickory 10 in dia. trees N 70 E. 27 1/2 mi. thick under 10. 10 " " " " 134 N 8 " "
8000	Set a trap for sw post on the line for the cu. of sw. 36 136

T. A. S. A. R. N. 277 2<sup>nd</sup> M. S. A. C.

	from which, Sum 10 in dia. trees N 89 E. 4 3/4 mi. thick; under Dogwood 6 " " " " N 51 E. 29 " "
West	On the line On the South Boundary of sw. 37. T. C. A. R. 277.
4000	Set the trap for sw post on the line from which, Hickory 10 in dia. trees West 2 mi. thick.
8000	Set the trap for the cu. of sw. 37 137. from which, Hickory 10 in dia. trees N 67 W. 6 1/2 mi. thick; 20, Sugar 8 " " " " N 85 E. 22 " "
West	On the line On the South Boundary of sw. 37. T. C. A. R. 277.
4000	Set the trap for sw post on the line from which, Poplar, 24 in dia. trees N 3 E. 18 1/2 mi. thick; 1/2 "
8000	Set a trap for the cu. of sw. 37 138 from which, Hickory 9 in dia. trees N 86 E. 3 1/2 mi. thick under 10. 20 " " " " N 31 E. 15 " "
West	On the line On the South Boundary of sw. 38. T. C. A. R. 277.
4000	Set the trap for sw post on the line in a brush thicket; No timber rough.
8000	Set a trap for sw post 5 in dia. Stems on the line for the cu. of sw. 38 139.
West	On the line On the South Boundary of sw. 39. T. C. A. R. 277.
4000	Set a trap for sw post on the line from which, a Hickory 11 in dia. trees S 55 E. 16 1/2 mi. thick; 20, 10. 10 " " " " N 26 W. 15 " "
8000	Set a trap for sw post on the line for the cu. of sw. 39 140 from which,



T. N. S. N. R. N. 27<sup>th</sup> 2<sup>nd</sup> Mo. Ind.

Sugar. 10 in dia: bears N 44 E. 9 lks dist; to,  
 Do. 8 " " " N 72 W 14 " "

West On the line Cath South Bound of su. 31.  
 14.26 To the Brook this line crossed a no farther West.

## West Boundary

North On the East Boundary of su. 36. T. 5 N. R. 3 W

12.00 To a Brook 12 in dia: in the me. N. 6° 45'

40.00 Set a 1/4 supst from whitt,

Beck 20 in dia: bears S 57 W 18 lks dist; to,

Do. 10 " " " N 62 W 12 " "

65.00 To a Brook 10 lks mid, corner &

80.00 Set a post for the cor of su. 25 & 36 from whitt,

Beck 6 in dia: bears S 21 W 6 lks dist; to,

Sugar. 10 " " " N 78 E 19 " "

Land hilly Timber Sugar. Beck, & Poplar.

North On the East Boundary of su. 25 T. 5 N. R. 3 W.

21.00 To a Sum. 20 in dia: in the me.

40.00 Set a 1/4 supst from whitt,

Beck 12 in dia: bears S 21 W 8 lks dist; to,

Do. 10 " " " N 79 E 16 " "

80.00 Set a post for the cor of su. 24 & 25 from whitt,

Beck 10 in dia: bears S 50 E 9 lks dist; to,

Do. 10 " " " N 50 W 21 " "

Land the same.

North On the East Boundary of su. 24 T. 5 N. R. 3 W

12.00 To a Beck 10 in dia: in the me.

40.00 Set a 1/4 supst from whitt,

W Oak 12 in dia: bears S 88 W 15 lks dist; to,

T. N. S. N. R. N. 27<sup>th</sup> 2<sup>nd</sup> Mo. Ind.

Beck 10 in dia: bears S 20 W 33 lks dist.

72.50 To a Beck 18 in dia: in the me.

80.00 Set a post for the cor of su. 13 & 24 from whitt,

Beck 12 in dia: bears South 6 lks dist; to,

Walnut. 10 " " " N 68 E 16 " "

Land the same.

North On the East Boundary of su. 13. T. 5 N. R. 3 W

40.00 Set a 1/4 supst from whitt,

W Oak. 12 in dia: bears S 12 E 20 lks dist; to,

Poplar. 18 " " " S 81 W 14 " "

51.00 To a Beck Oak 12 in dia: in the me.

80.00 Set a post for the cor of su. 12 & 13 from whitt,

Poplar. 12 in dia: bears N 4 E 37 lks dist; to,

Sugar. 10 " " " N 16 E 18 " "

Land thin & hilly Timber Oak & Hickory

North On the East Boundary of su. 12 T. 5 N. R. 3 W

40.00 Set a 1/4 supst from whitt,

Sumner 4 in dia: bears S 57 W 10 lks dist; to,

Do. 4 " " " S 81 E 10 " "

41.50 To a Brook 25 lks mid, corner &

80.00 Set a post for the cor of su. 1 & 12 from whitt,

W Oak 12 in dia: bears S 48 W 7 lks dist; to,

Do. 10 " " " N 43 E 21 " "

Land the same.

North On the East Boundary of su. 1 T. 5 N. R. 3 W

14.00 To a W Oak 10 in dia: in the me.

40.00 Set a 1/4 supst from whitt,

W Oak. 20 in dia: bears S 22 E 28 lks dist; to,

Beck 12 " " " S 81 W 28 " "

80.00 Set a post for the cor of S. 5 & 6 N 21 3 W







I. A. S. A. R. A. S. 277 2<sup>nd</sup> Mr. Ind.

80.30 To the post ca of sw. 13 14. 23 24.

North Return sw. 13 14. I. S. A. R. 277.

80.60 To a Sugar. 40 in dia. in the line.

40.00 Set a post from which,

Dogwood 8 in dia. bear. A 5 N. 14 E. dist. 10,

Buck 12 " " " S 5 E. 9 " "

80.00 Set a post for the end of sw. 11. 12. 13 14 from which,

Buck 10 in dia. bear. S 2 E. 30 links dist. 10,

Dogwood 6 " " " A 26 E. 22 " "

Land the same, as last time.

East On a Random line between sw. 12 &amp; 13. I. S. A. R. 277.

40.00 Set a trip post from which,

80.43 Set out the East Boundary 20 links North of the post ca of sw. 12 &amp; 13. Land the same.

West On the line between sw. 12 &amp; 13. I. S. A. R. 277.

40.21p Set the trip post from which, at the end of the line from which, W Oak 20 in dia. bear. S 44 E. 38 links

and a Black 6 " " " A 74 N 17 " "

80.43 To the ca of sw. 11. 12. 13 &amp; 14.

North Return sw. 11 &amp; 12. I. S. A. R. 277.

40.00 Set a post from which,

Dogwood 6 in dia. bear. A 14 E. 27 links dist. 10,

Black 12 " " " S 12 N. 19 " "

59.75 To a Sugar. 18 in dia. in the line.

80.00 Set a post for the end of sw. 1. 2. 11 &amp; 12 from which,

Dogwood 8 in dia. bear. S 50 E. 7 links dist. 10,

Black 6 " " " A 50 N 3 " "

Land the same, as last time.

I. A. S. A. R. A. S. 277 2<sup>nd</sup> Mr. Ind.

East On a Random line between sw. 1 &amp; 2. I. S. A. R. 277.

40.00 Set a trip post from which,

80.17 Set out the East Boundary 17 links North of the post ca of sw. 1 &amp; 2. Land the same &amp; bushy.

West On the line between sw. 1 &amp; 2. I. S. A. R. 277.

40.08p Set the trip post from which, at the end of the line from which, Buck 12 in dia. bear. West 24 links dist. and a Maple 10 " " " S 7 N 25 " "

80.17 To the post ca of sw. 1. 2. 11 &amp; 12.

North Return sw. 1 &amp; 2. I. S. A. R. 277.

40.00 Set a post from which,

Dogwood 6 in dia. bear. A 13 E. 25 links dist. 10,

W Oak 10 " " " S 3 N. 20 " "

81.50 Set out the N Boundary at the post ca of sw. 3 &amp; 4. I. S. A. R. 277. Land the same.

North Return sw. 3 &amp; 4. I. S. A. R. 277.

34.75 To a Buck. 12 in dia. in the line.

40.00 Set a post from which,

Sugar 10 in dia. bear. S 21 N. 20 links dist. 10,

Black 18 " " " A 33 E. 23 " "

80.00 Set a post for the end of sw. 26. 27. 34 &amp; 35. from which,

Dogwood 6 in dia. bear. S 89 E. 10 links dist. 10,

Buck 10 " " " S 45 N 7 " "

Land the same, as last time.

Buck, &amp; Sugar, N 8 E. 10.

East On a Random line between sw. 26 &amp; 35. I. S. A. R. 277.

40.00 Set a trip post from which,

79.58 Set out the N Boundary 12 links North of the post ca of sw. 26. 27. 34 &amp; 35. Land the same.



I. A. S. N. R. N. 272<sup>nd</sup> Mr. Sudo.

West On the line between Sec 26 & 35 I. S. N. R. 272.  
39.79 Set the timber post at the corner on the line from  
which, Buck 10 in dia. has 146 ft 18 in dia. 18  
Do 10 " " " 139 ft 4 " ,  
79.50 To the corner of sec 26 & 34 & 35.

North Return Sec 26 & 37 I. S. N. R. 272.  
40.00 Set a post from which,  
Sugar 12 in dia. has 207 ft 6 in dia. 12,  
Buck 10 " " " 143 ft 8 " ,  
62.40 To Sugar 12 in dia. in the line.  
80.00 Set a post for the corner of sec 22, 23, 26 & 27 from which,  
Buck 12 in dia. has 168 ft 30 in dia. 12,  
Do. 18 " " " 13 ft 24 " ,  
Sudo the same.

East On a Random line between Sec 23 & 26 I. S. N. R. 272.  
40.00 Set a timber post.  
79.82 Intersect the N. 13 line 12 miles North of the post corner  
Sec 23, 24, 25 & 26. Sudo the same.

West On the line between Sec 23 & 26 I. S. N. R. 272.  
39.91 Set the timber post at the corner on the line from  
which, Buck 10 in dia. has 138 ft 11 in dia. 18,  
Sugar 8 " " " 178 ft 34 " ,  
79.82 To the post corner of sec 22, 23, 26 & 27.

North Return Sec 22 & 23 I. S. N. R. 272.  
12.00 To a Buck 12 in dia. in the line.  
40.00 Set a post from which,  
Sugar 20 in dia. has 19 ft 3 in dia. 12,  
Buck 18 " " " 146 ft 15 " ,  
71.35 To a Sugar 10 in dia. in the line.

I. A. S. N. R. N. 272<sup>nd</sup> Mr. Sudo.

80.00 Set a post for the corner of sec 14, 15, 22 & 23 from which,  
Buck 12 in dia. has 167 ft 6 in dia. 12,  
Sugar 20 " " " 146 ft 15 " ,  
Sudo the same.

East On a Random line between Sec 14 & 23 I. S. N. R. 272.  
40.00 Set a timber post.  
79.70 Intersect the N. 13 line 8 miles North of the post corner  
Sec 13, 14, 23 & 24. Sudo the same.

West On the line between Sec 14 & 23 I. S. N. R. 272.  
39.85 Set the timber post at the corner on the line from  
which, Buck 8 in dia. has 182 ft 26 in dia. 12,  
Do. 8 " " " 165 ft 25 " ,  
79.70 To the post corner of sec 14, 15, 22 & 23.

North Return Sec 14 & 23 I. S. N. R. 272.  
29.30 To a Buck 12 in dia. in the line.  
40.00 Set a post from which,  
Buck 10 in dia. has 137 ft 19 in dia. 12,  
Sugar 20 " " " 146 ft 15 " ,  
80.00 Set a post for the corner of sec 11, 14 & 15 from which,  
Oak 20 in dia. has 136 ft 26 in dia. 12,  
Sugar 8 " " " 124 ft 32 " ,  
Sudo very hilly & brushy. Timber Oak & Hickory.

East On a Random line between Sec 11 & 14 I. S. N. R. 272.  
40.00 Set a timber post.  
80.00 Intersect the N. 13 line 12 miles South of the post corner  
Sec 11, 12, 13 & 14. Sudo the same.

West On the line between Sec 11 & 14 I. S. N. R. 272.



T. A. S. N. R. N. 272<sup>nd</sup> Mr. Sud.

4000 Let the temp. 7<sup>th</sup> report at the air dist. in the line from  
whichever Elev. 8 in dist. bears N 88 E. 30 lbs dist. 12  
Beck 7 4 " " N 67 W 9 1  
8000 To the post on of sec. 10 11 14 & 15

North Return Sec. 10 &amp; 11 T. A. S. N. R. 272.

4000 Let a 7<sup>th</sup> report from which,  
N Oak 20 in dist. bears S 22 W. 20 lbs dist. 12  
Beck 9 4 " " N 24 W. 27 1

7640 To a Beck 18 in dist. in the line.

8000 Let a post from the cor of sec. 2, 3, 10 & 11 from which,  
N Oak 10 in dist. bears N 50 E. 14 lbs dist. 12  
N Oak 7 4 " " S 45 E. 13 1  
Sands hilly, rock timber log in. Beck, Oak & Poplar.

East On a line from Sec. 2 &amp; 11 T. A. S. N. R. 272.

4000 Let a temp. 7<sup>th</sup> report.7960 Intersect the N 5 line 18 mds. South of the post on of  
Sec. 1, 2, 11 & 12. Sands the same.

West On the line between Sec. 2 &amp; 11 T. A. S. N. R. 272.

3980 Let the temp. 7<sup>th</sup> report at the air dist. in the line from  
whichever Beck 10 in dist. bears N 74 W. 18 lbs dist. 12  
N Oak 8 4 " " N 6 E. 5 1

7760 To the cor of sec. 2, 3, 10 &amp; 11.

North Return Sec. 2 &amp; 3 T. A. S. N. R. 272.

4000 Let a 7<sup>th</sup> report from which,  
Sugar 18 in dist. bears S 29 W. 21 lbs dist. 12  
Loc. 12 4 " " N 8 E. 14 1

4340 To a Poplar 30 mds. in the line.

8200 Intersect the N Boundary 25 mds. East of the post,  
cor of sec. 34 & 35 T. A. S. N. R. 272 & set a post for.T. A. S. N. R. N. 272<sup>nd</sup> Mr. Sud.

the cor of sec. 2 & 3 from which,  
Sugar 7 in dist. bears N 33 W. 3 lbs dist. 12  
Loc. 7 4 " " S 87 E. 18 1  
Sands hilly, timber Oak & Hick.

North Return Sec. 33 &amp; 34 T. A. S. N. R. 272.

1650 To a Beck 18 mds. mid, corner S. E.

4000 Let a 7<sup>th</sup> report from which,  
Sugar 9 in dist. bears S 42 E. 08 lbs dist. 12  
Beck 6 4 " " N 66 E. 9 1

6325 To a Beck 12 mds. mid, corner S. W.

8000 Let a post from the cor of sec. 27, 28, 33 & 34 from which,  
N Oak 10 in dist. bears S 72 W. 12 lbs dist. 12  
N Oak 30 " " " N 81 W. 29 1  
Sands hilly, timber Oak & Hick.

East On a line from Sec. 27 &amp; 34 T. A. S. N. R. 272.

4000 Let a temp. 7<sup>th</sup> report.8000 Intersect the N 5 line 19 mds. North of the post on  
of sec. 36, 37, 34 & 35. Sands the same.

West On the line between Sec. 27 &amp; 34 T. A. S. N. R. 272.

4000 Let the temp. 7<sup>th</sup> report at the air dist. in the line  
from whichever Beck 8 in dist. bears N 38 W. 12 lbs dist. 12  
Loc. 20 8 " " " S 58 E. 10 1

8000 To the post on of sec. 27, 28, 33 &amp; 34.

North Return Sec. 27 &amp; 28 T. A. S. N. R. 272.

4000 Let a 7<sup>th</sup> report from which,  
Sugar 12 in dist. bears N 66 E. 53 lbs dist. 12

4985 To a Gum 12 in dist. in the line.

8000 Let a post from the cor of sec. 21, 22, 27 & 28 from which,  
N Beck 10 in dist. bears N 74 E. 32 lbs dist. 12



T. N. 5. A. R. N. 272<sup>nd</sup> Min. Ind.

Reel 9 in dist. bears S 71° 12' W 100 yds. dist;  
Sands the same.

- East On a Random line between Sec. 22 & 27 T. 5 N. R. 27 W.  
4000 Set a trap for a fox  
8020 Set out the N 13 line 8 miles South of the post on  
of sec. 22, 23, 26 & 27. Sands the same.
- West On the same line between Sec. 22 & 27 T. 5 N. R. 27 W.  
4010 Set the trap for a fox at the arched on the same line  
from which, Reel 10 in dist. bears N 88° E. 32 yds. dist.  
and a Reel 9 " " " N 34° E. 18 " "  
8020 Set the post on of sec. 21, 22, 27 & 28.
- North Return Sec. 21 & 22 T. 5 N. R. 27 W.  
4000 Set a trap for a fox from which,  
N Oak 12 in dist. bears N 52° W 32 yds. dist. & 3,  
Sugar 8 " " " N 82° W 35 " "  
8000 Set a post for the ca. of sec. 16, 16, 21 & 22 from which  
a Sugar 10 in dist. bears N 27° W 18 yds. dist. & 3,  
Elev. 10 " " " N 4° E. 19 " "  
Sands hilly, thick timber Bush, Poplar &c.
- East On a Random line between Sec. 15 & 22 T. 5 N. R. 27 W.  
1150 To a spring Brook 5 yds. min. Ho. N.  
4000 Set a trap for a fox  
7980 Set out the N 13 line 10 miles North of the  
post on of sec. Sands the same
- West On the same line between Sec. 15 & 22 T. 5 N. R. 27 W.  
3990 Set the trap for a fox at the arched on the same line  
from which, Reel 8 in dist. bears N 42° E. 9 yds. dist.  
and a Reel 12 " " " N 21° W 15 " "

T. N. 5. A. R. N. 272<sup>nd</sup> Min. Ind.

7980 To the post on of sec. 15 & 16. 21 & 22.

- North Return Sec. 15 & 16 T. 5 N. R. 27 W.  
900 To a Brook 10 miles min. Sec. N. W.  
4000 Set a trap for a fox from which,  
N Oak 20 in dist. bears N 53° W. 5 yds. dist. & 3,  
Sugar 7 " " " N 72° E. 6 " "  
8000 Set a post for the ca. of sec. 9, 10, 15, & 16 from which,  
N Oak 20 in dist. bears N 53° W 43 yds. dist. & 3,  
Sands the same.
- East On a Random line between Sec. 11 & 15 T. 5 N. R. 27 W.  
4000 Set a trap for a fox  
8000 Set out the N 13 line 12 miles North of the post  
on of sec. 10, 11, 14 & 15. Sands very bushy & hilly
- West On the same line between Sec. 10 & 15 T. 5 N. R. 27 W.  
4000 Set the trap for a fox at the arched on the same line  
from which, Ca. in a Bush thicket  
8000 To the ca. of sec. 9, 10, 15 & 16.
- North Return Sec. 9 & 10 T. 5 N. R. 27 W.  
4000 Set a trap for a fox from which,  
in dist. bears N 37° E. 10 yds. dist. & 3,  
Cherry tree 7 " " " N 67° W. 13 " "  
8000 Set a post for the ca. of sec. 3, 4, 9 & 10 from which,  
Reel 10 in dist. bears S 27° W. 33 yds. dist. & 3,  
Ho. 9 " " " N 37° W. 30 " "  
Sands hilly and soil thin. Timber Oak & Hick.
- East On a Random line between Sec. 3 & 16 T. 5 N. R. 27 W.  
4000 Set a trap for a fox  
8000 Set out the N 13 line 20 miles North of the post on



T. N. 5 N. R. N. 27 2<sup>nd</sup> Mer. Ind.

of sec 2, 3 10 11. Land the same

Met On the line between Sec. 3 & 4 T. 5 N. R. 27 W.  
 40.00 Set the timber? to a post at the corner in the line  
 from whiter, Buck 20 in dia. beam N 53 W. 22 lb. ash,  
 and a Sugar 8 " " " N 63 E. 17 " "  
 80.00 To the post corner of sec 2, 3 10 11.

North Return Sec 3 & 4 T. 5 N. R. 27 W.  
 40.00 Set the timber? to a post from whiter,  
 Buck 10 in dia. beam N 2 E. 24 lb. ash, 12,  
 Ho. 11 " " " N 63 E. 11 " "  
 67.00 To a Buck 20 in dia. in the line.  
 81.10 Set out the N. Boundary 10 links East of the post  
 corner of sec 33 & 34 T. 6 N. R. 27 W. and set a post farther  
 " " " 3 & 4. from whiter,  
 Buck 20 in dia. beam. N 47 W. 13 lb. ash, 12,  
 Ho. 17 " " " N 63 W. 33 " "  
 Land the same.

North Return Sec 32 & 33 T. 5 N. R. 27 W.  
 40.00 Set a post from whiter,  
 Sugar 10 in dia. beam N 37 E. 14 lb. ash, 12,  
 Poplar 7 " " " N 52 W. 14 " "  
 80.00 Set a post farther corner of sec 28, 29 32 & 33 from whiter,  
 Buck 10 in dia. beam. N 48 W. 8 lb. ash, 12,  
 Dogwood 6 " " " N 80 E. 10 " "  
 Land very hilly and brushy, Timber Oak, Hickory

East On a Random line between Sec 28 & 33 T. 5 N. R. 27 W.  
 40.00 Set a timber? to a post.  
 80.08 Set out the N. 13 line 12 links South of the post  
 corner of sec 27 & 28. 33 & 34 Land hilly, brushy

T. N. 5 N. R. N. 27 2<sup>nd</sup> Mer. Ind.

Met On the line between Sec 28 & 33 T. 5 N. R. 27 W.  
 110.04 Set the timber? to a post at the corner in the line  
 from whiter, Sugar 10 in dia. beam N 77 1/2 W. ash,  
 Dogwood 9 " " " N 76 W. 32 " "  
 80.08 To the post corner of sec 28, 29 32 & 33.

North Return Sec 28 & 29 T. 5 N. R. 27 W.  
 40.00 Set a timber? to a post from whiter,  
 Immers 5 in dia. beam N 70 E. 9 lb. ash, 12,  
 Oak 19 " " " N 16 E. 22 " "  
 80.00 Set a post for the corner of sec 20, 21, 28 & 29 from whiter,  
 Sugar 8 in dia. beam N 67 W. 19 lb. ash, 12,  
 Buck 18 " " " East 15 " "  
 Land the same as last mile.

East On a Random line between Sec 21 & 28 T. 5 N. R. 27 W.  
 40.00 Set a timber? to a post.  
 80.00 Set out the N. 13 line 18 links South of the post corner  
 of sec 21, 22, 27 & 28 Land & timber same

West On the line between Sec 21 & 28 T. 5 N. R. 27 W.  
 40.00 Set the timber? to a post at the corner in the line  
 from whiter, Buck 7 in dia. beam N 7 E. 22 lb. ash,  
 and a Sugar 10 " " " N 67 W. 11 " "  
 80.00 To the post corner of sec 20, 21, 28 & 29

North Return Sec 20 & 21 T. 5 N. R. 27 W.  
 3.50 To a Buck 10 links near, corner N.  
 40.00 Set a post from whiter,  
 Buck 8 in dia. beam N 27 W. 14 lb. ash, 12,  
 Ho. 18 " " " N 29 W. 33 " "  
 51.50 To a Buck 10 links near, corner N.  
 60.00 " " Ho. 15 " " " N.



T. N. 5. N. R. N. 2. W. 2<sup>nd</sup> Mm. Ind.

- 75.00 To show the same comes from the N. W.  
 80.00 Set a post for the corner No. 17. 20. 21 from which,  
 in dist. have S 23 E. 12 W. dist. 10,  
 Back 12 " " " N 29 E. 45 " "  
 Same the same as last mile.
- East On a Random line between Sec 16 & 21. T. 5. N. R. 2. W.  
 40.00 Set a temporary post at the corner.  
 80.00 Intersect the N. 25 line 18 miles South of the post corner  
 Sec 15. 16. 21 & 22. Same the same.
- West On the line between Sec 16 & 21. T. 5. N. R. 2. W.  
 40.00 Set the temporary post at the corner on the line  
 from which, Sugar 9 in dist. have N 51 W. 27 W. dist.  
 corner Sec. 7 " " " N 18 E. 20 " "  
 80.00 To the post corner No. 16. 17. 20 & 21.
- North Return Sec 16 & 21. T. 5. N. R. 2. W.  
 25.00 To a Brook 150 miles wide. Come up North  
 40.00 To the corner in the Brook.  
 45.00 Same stream comes from the North W  
 80.00 Set a post for the corner of sec. 4. 5. 8 & 9 from which,  
 Sugar 18 in dist. have N 4 E. 21 W. dist. 10,  
 Back 6 " " " N 49 E. 24 " "
- East On a Random line between Sec 4 & 9. T. 5. N. R. 2. W.  
 40.00 Set a temporary post at the corner. Same with.  
 79.70 Intersect the N. 25 line 18 miles North of the post corner  
 Sec. 3. 4. 7 & 16. Last 70 miles then set.
- West On the line between Sec 4 & 9. T. 5. N. R. 2. W.  
 39.85 Set the temporary post at the corner on the line  
 from which, Sugar 8 in dist. have N 67 W. 30 W. dist.  
 corner a stream 18 " " " N 50 E. 23 " "  
 79.70 To the post corner of sec. 4. 5. 8 & 9.
- North Return Sec 4 & 9. T. 5. N. R. 2. W.  
 40.00 Set a post at the corner from which,  
 Back 6 in dist. have N 7 E. 15 W. dist. 10,  
 Sec. 9 " " " N 60 W. 17 " "  
 81.50 Intersect the N. 25 line 30 miles East of the post  
 corner of sec. 32 & 33. T. 6. N. R. 2. W. and set a post for

T. N. 5. N. R. N. 2. W. 2<sup>nd</sup> Mm. Ind.

- free 9. 10. 15 W. Same the same
- West On the line between Sec 9 & 16. T. 5. N. R. 2. W.  
 40.00 Set the temporary post at the corner on the line  
 from which, Sugar 9 in dist. have N 49 E. 21 W. dist.  
 corner Sec. 9 " " " N 77 W. 16 " "  
 80.00 To the post corner of sec. 8. 9. 16 & 17.
- North Return Sec 9 & 16. T. 5. N. R. 2. W.  
 25.00 To a Brook 150 miles wide. Come up North  
 40.00 To the corner in the Brook.  
 45.00 Same stream comes from the North W  
 80.00 Set a post for the corner of sec. 4. 5. 8 & 9 from which,  
 Sugar 18 in dist. have N 4 E. 21 W. dist. 10,  
 Back 6 " " " N 49 E. 24 " "
- East On a Random line between Sec 4 & 9. T. 5. N. R. 2. W.  
 40.00 Set a temporary post at the corner. Same with.  
 79.70 Intersect the N. 25 line 18 miles North of the post corner  
 Sec. 3. 4. 7 & 16. Last 70 miles then set.
- West On the line between Sec 4 & 9. T. 5. N. R. 2. W.  
 39.85 Set the temporary post at the corner on the line  
 from which, Sugar 8 in dist. have N 67 W. 30 W. dist.  
 corner a stream 18 " " " N 50 E. 23 " "  
 79.70 To the post corner of sec. 4. 5. 8 & 9.
- North Return Sec 4 & 9. T. 5. N. R. 2. W.  
 40.00 Set a post at the corner from which,  
 Back 6 in dist. have N 7 E. 15 W. dist. 10,  
 Sec. 9 " " " N 60 W. 17 " "  
 81.50 Intersect the N. 25 line 30 miles East of the post  
 corner of sec. 32 & 33. T. 6. N. R. 2. W. and set a post for











T. A. 5 A. R. A. 277 D. 2<sup>nd</sup> Mm. Ind.

North Return No 785 T. 5 A. R. 277.

13.50 To sugar 10 in dia: with line.

40.00 Set a trap for from whike,

Poplar 6 in dia: heavy 18 E. 5 W. dist: 12,

Buck 12 " " 29 N. 29 " "

80.00 Set a trap for the end of sec. 5. 6. 7. 8 from whike,

Maple 8 in dia: heavy 110 N. 23 W. dist: 12,

Buck 10 " " 31 N. 20 " "

Inside the same

East On the line between Sec 5 &amp; 8 T. 5 A. R. 277.

40.00 Set a trap for 20 feet

64.00 To a trap for 100 traps in the corner of

80.15 Intersect the A. B. line 20 feet North of the post on  
of sec 4. 5. 8 & 9 Inside the same.

West On the line between Sec 5 &amp; 8 T. 5 A. R. 277.

40.00 Set the trap for 20 feet at the av. dist. in the line  
from whike, 10 in dia: heavy 141 E. 31 W. dist:  
and a Buck 6 " " 18 N. 15 " "

80.15 To the post on of sec. 5. 6. 7 &amp; 8.

West Return No 677 T. 5 A. R. 277.

40.00 Set a trap for 20 feet from whike,

Hogwood 6 in dia: heavy 184 E. 36 W. dist: 12,

Buck 20 " " 49 N. 15 " "

77.35 Intersect the West Boundary at the post on. of  
Sec 1 & 12 T. 5 A. R. 377. Low hills, timber  
Oak & Hick.

North Return No 576 T. 5 A. R. 277.

40.00 Set a trap for 20 feet from whike,

Hogwood 4 in dia: heavy 141 E. 17 W. dist: 12,

Comp?

T. A. 5 A. R. A. 277 D. 2<sup>nd</sup> Mm. Ind.

Sugar 10 in dia: heavy 188 N. 14 W. dist:

77.80 Intersect the A. Boundary at the post on of sec 31 &  
32 T. 6 A. R. 277Land rich and rolling; Timber Poplar, Sugar,  
Buck 8.Surveyed by  
Arthur Henry.

Rep. 7 Sur.

Comp?

I certify that the foregoing Transcript of the  
field notes of Township No 5 North of Range No  
2 West of the 2<sup>nd</sup> Principal Meridian in Indiana  
has been compared with the Original notes  
in this Office and found to be correct.

Surveyor General's Office  
Cincinnati, Nov. 15. 1841

Sur. General.